PHOENIX DISPLAY

Phoenix Extended TFT Reference · October 2026

133 existing Phoenix models matched to the supplied list. Values below reflect that list; differences from a product page require engineering review. Unmapped families, touch-only panels and uncertain rows are excluded. No new product numbers have been assigned.

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI010QQBG-05	128xRGBx115	26.71x26.22x1.86	24.36x21.89	350	-20~70℃
PDI013QVHG-06B	240xRGBx240	35.6x37.7x1.6	32.4x32.4	300	-20~70℃
PDI013QVHG-06D	240xRGBx240	35.6x37.7x1.6	32.4x32.4	550~600	-20~70℃
PDI013QVHS-20	240xRGBx240	26.16x29.22x1.43	23.40x23.40	550	-20~70℃
PDI015QVBS-02	172xRGBx320	19.39x36.28x1.42	17.39x32.35	750	-20~70℃
PDI016WVBS-H01	400xRGBx400	42.15x42.24x1.96	39.8×39.8	280	-20~70℃
PDI017QVBG-01	240xRGBx280	30.07x37.43	27.97x32.63	900	-20~70℃
PDI017QVBG-05	240xRGBx280	30.07x37.43	27.97x32.63	900	-20~70℃
PDI018AOP-SE3	128xRGBx160	34.70x46.70x2.55	28.03x35.04	180	-20~70℃
PDI018QVBS-19C	360xRGBx360	56.37x56.37x3.13	45.68x45.68	250	-20~70℃
PDI019QVBS-02B	170xRGBx320	25.8x49.72x1.43	22.7x42.72	350	-20~70℃
PDI020QVHS-06B	240xRGBx320	34.6x47.8x1.9	30.60x40.80	350	-20~70℃
PDI020WVBS-08	480xRGBx480	56.18x59.71x2.24	53.28x53.28	350	-20~70℃
PDI023QVBI-02	320xRGBx240	50.8X45.8X2.44	46.75X35.06	450	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI024QVBS-59	240xRGBx320	40.44x57x2.26	36.72x48.96	1200	-30~80℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI024QVHI-17	240xRGBx320	42.72x59.46x2.30	36.72x48.96	400	-20~70℃
PDI024QVHS-31	240xRGBx320	42.72x59.46x2.30	36.72x48.96	400	-20~70℃
PDI024QVHS-34	240xRGBx320	42.72x59.46x2.3	36.72x48.96	400	-20~70℃
PDI024QVSS-21	240xRGBx320	42.72x60.26x2.30	36.72x48.96	350	-20~70℃
PDI024QVSS-32	240xRGBx320	42.72x60.26x2.25	36.72x48.96	280	-20~70℃
PDI024QVSS-38	240xRGBx320	42.72x59.46x2.30	36.72x48.96	900-1000	-20~70℃
PDI025WVBH-01	480xRGBx480	69.19x71.74x2.45	62.64x62.64	400	-20~70℃
PDI028QVBS-35	240xRGBx320	50.00x 69.20 x 2.43	43.20x57.60	1500	-20~70℃
PDI028QVHS-15	240xRGBx320	50.00x69.20x2.38	43.20x57.60	300	-20~70℃
PDI028QVHS-21	240xRGBx320	50.00x69.20x2.43	43.2x57.6	380	-20~70℃
PDI028QVHS-43	240xRGBx320	48x 66.2x 2.82	43.20x57.60	500	-20~70℃
PDI028WVBS-33	480xRGBx480	73.03x76.48x2.28	70.13x70.13	250-300	-20~70℃
PDI030GN06-01	432xRGBx432	84.2x89.2x6.38	74.3904x74.3904	1000	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI032QVHS-13	240xRGBx320	55.04x77.70x2.57	48.60x64.80	257	-20~70℃
PDI034HDBI-03	800xRGBx800	94.9x96.95x2.2	94.6x96.6	250	-20~70℃
PDI035HVQI-45	320xRGBx480	53.76x84.18x2.1	48.96x73.44	300	-20~70℃
PDI035HVQI-54	320xRGBx480	53.76x84.18x2.1	48.96x73.44	480	-20~70℃
PDI035HVQI-54B	320xRGBx480	53.76x84.18x2.1	48.96x73.44	700	-20~70℃
PDI035HVSI-53	320xRGBx480	54.50x83.00x2.4	48.96x73.44	285	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI035QVBH-115	240xRGBx320	64.28x88.02x8.2	53.28x71.04	450	-30~80℃
PDI035QVHS-119	320xRGBx240	76.90x63.90x3.27	70.08x52.56	900-1000	-30~80℃
PDI035QVIH-28B	320xRGBx240	76.90x63.90x3.27	70.08x52.56	350	-20~70℃
PDI035WVBS-66	480xRGBx800	51.16x87.35	45.36x75.6	380	-20~70℃
PDI035WVHS-110	800xRGBx640	97.6x83.79x4.04	90x72	1100	-20~70℃
PDI040WVBN-23	720xRGBx720	74.83x78.98x2.06	71.928X71.928	320	-20~70℃
PDI040WVBS-13	480xRGBx800	57.14x96.85x2.10	51.84x86.40	500	-20~70℃
PDI040WVBS-25	720xRGBx720	74.83x78.98x1.56	72.58x72.58	370	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI040WVBS-35	400xRGBx960	42.90x10.2.08x2.17	39.18x94.03	350	-20~70℃
PDI043WQBS-145	480xRGBx272	105.50x67.20x2.90	95.04x53.86	750	-20~70℃
PDI043WQBS-146	480xRGBx272	105.50x67.20x2.90	95.04x53.86	1000	-20~70℃
PDI043WQHS-105	480xRGBx272	105.50x67.20x2.90	95.04x53.86	800~1000	-20~70℃
PDI043WQHS-67B	480xRGBx272	105.50x67.20x3.05	95.04x53.86	900	-30~80℃
PDI043WQHS-72	480xRGBx272	105.50x67.20x3.05	95.04x53.86	720	-20~70℃
PDI043WQHS-97	480xRGBx272	105.5x67.2x3.05	95.04x53.86	350	-20~70℃
PDI043WQIS-86	480xRGBx272	105.46x67.11x2.9	95.04x53.86	350	-20~70℃
PDI043WQIS-87	480xRGBx272	105.46x67.11x2.9	95.04x53.86	500	-20~70℃
PDI043WQIS-88	480xRGBx272	105.46x67.11x2.9	95.04x53.86	1000	-20~70℃
PDI043WQXH-39	480xRGBx272	105.5x67.2x2.95	95.04x53.86	320	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI043WVBI-120	480xRGBx800	60.9x104.5x2.1	56.16x93.6	750	-20~70℃
PDI043WVBI-130	480xRGBx800	60.9x104.5x1.9	56.16x93.6	500	-20~70℃
PDI043WVBI-83	480xRGBx800	60.9x104.5x2.1	56.16x93.6	450	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI043WVBS-139	800xRGBx480	105.50x67.20x6.1	95.04x53.86	1600	-30~80℃
PDI043WVBS-79	800xRGBx480	105.50x67.20x2.95	95.04x53.86	440	-20~70℃
PDI043WVBS-80	800xRGBx480	105.50x67.20x2.95	95.04x53.86	700	-20~70℃
PDI050FHBH-40	1080xRGBx1080	136.531x132.208x1.98	127.008x127.008	350	-20~70℃
PDI050FHSH-47	1080xRGBx1920	64.3x116.9x1.41	61.88x110.02	450	-20~70℃
PDI050FWHS-161	480xRGBx854	64.92x117.70x2.35	61.63x109.65	1200	-30~80℃
PDI050WQBS-44	480xRGBx272	120.70x75.80x3.15	110.88x62.832	300	-20~70℃
PDI050WVBS-106	800xRGBx480	120.70x75.80x6.1	108.00x64.80	800-1000	-20~70℃
PDI050WVBS-51	800xRGBx480	120.70x75.80x2.95	108.00x64.80	500	-20~70℃
PDI050WVBS-51B	800xRGBx480	120.70x75.80x2.95	108.00x64.80	900-1000	-20~70℃
PDI050WVBS-98B	800xRGBx480	120.70x75.80x2.95	108.00x64.80	1000	-20~70℃
PDI050WVBS-S24-B0	800xRGBx480	120.80x75.80x2.90	108X64.8	1000	-30~80℃
PDI050WVHS-36	800xRGBx480	120.70x75.80x2.9	108.00x64.80	500	-20~70℃
PDI050WVHS-89	800xRGBx480	120.70x75.80x3.00	108.00x64.80	500	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI050WVHS-92	800xRGBx480	120.70x75.80x2.9	108.00x64.80	650	-20~70℃
PDI050WVHS-92B	800xRGBx480	120.70x75.80x2.9	108.00x64.80	500	-30~80℃
PDI050WVHS-93	800xRGBx480	120.70x75.80x2.9	108.00x64.80	1500	-20~70℃
PDI055FHIH-10	1080xRGBx1920	70.15x127.6x1.35	68.04x120.96	430	-20~70℃
PDI057VGCH-H01	640xRGBx480	127x98.43x5.8	115.2x86.4	360	-30~80℃
PDI057VGGH-02	640xRGBx480	127x98.43x5.8	115.2x86.4	1000	-20~70℃
PDI062WSBE-02	1024xRGBx600	144.27x88.1x4.93	137.47x77.23	1100	-30~80℃
PDI070HDBV-L01	1280xRGBx768	166.90x108.65x7.4	152.448x91.4688	1000	-30~80℃
PDI070HDHF-A00	1280xRGBx768	164.06x104.66x6.29	152.45x91.47	1000	-30~80℃
PDI070HH115-02	720xRGBx1280	98.60x165.45x3.53	86.94x154.56	600	-20~70℃
PDI070MIWN-10	800xRGBx480	164.90x100.00x5.70	154.08x85.92	1000	-20~70℃
PDI070WSBE-136	1024xRGBx600	164.90x100.00x3.50	154.21x85.92	1000	-20~70℃
PDI070WSBE-61	1024xRGBx600	164.90x100.00x5.4	154.21x85.92	1000	-20~70℃
PDI070WSIH-222	1024xRGBx600	164.2x99.2x5.46	154.21x85.92	Engineering confirmation required	-30~80℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI070WSSN-42	1024xRGBx600	165.65x105.3x2.8	153.6x90	320	-20~70℃
PDI070WVBE-101C	800xRGBx480	190.08x121.9x5.13	154.08x85.92	450	-20~70℃
PDI070WVBE-131C	800xRGBx480	190.08x121.9x14.4	154.08x85.92	650	-20~70℃
PDI070WVHN-117	800xRGBx480	171X110X9.65	152.4X91.44	500	-30~80℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI070WVHN-119	800xRGBx480	171X110X9.65	152.4X91.44	500	-30~80℃
PDI0784HDPG-01	400xRGBx1280	205.78x67.8x7.25	190.8x59.4	600	-20~70℃
PDI080FHBF-N81	1920xRGBx1200	119.8x181.7x5.5	172.224x107.640	1000	-30~80℃
PDI080FHBO-Z01A	1200xRGBx1920	114.5x184x2.2	107.64x172.22	300	0~50℃
PDI080HDBJ-16	800xRGBx1280	114.6x184.1x2.9	107.64x172.22	250	-20~70℃
PDI080HDBV-22	1280xRGBx720	192.8x116.9x6.4	176.64x99.36	800	-30~80℃
PDI080IA-15A	800xRGBx480	187.4 x 118 x 6.3	174x104.4	920	-30~80℃
PDI080SVBH-15B	800xRGBx600	183.00x141.00x3.5	162.00x121.50	380	-20~70℃
PDI084WSTH-B01	1024xRGBx768	199.5x149x9.7	170.496x127.872	600	-30~80℃
PDI088HDBV-01	1280xRGBx480	229.6x97.3x6.0	209.28x78.48	400	-30~80℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI088HDHH-03	1280xRGBx480	223.99x95.6x5.6	209.28x78.48	1200	-30~80℃
PDI090WVIE-04	800xRGBx480	211.1x126.5x5.9	198x111.7	250	-20~70℃
PDI090WXHS-06	1280xRGBx720	210.7x124.15x6.2	198.72x111.78	800	-30~80℃
PDI092FHHH-01	1920xRGBx384	238.1x57.85	229.248x45.849	3500	-30~80℃
PDI09607A	80xRGBx160	13.5x27.95x1.5	10.8x21.696	600	-20~70℃
PDI101HDBI-62	800xRGBx1280	143x228.6x2.5	135.36x216.58	420	-20~70℃
PDI101WSIE-88	1024xRGBx600	235.00x143.00x5.0	222.72x125.28	1000	-20~70℃
PDI101WXBH-26	1280xRGBx800	229.8x149.03x6.0	216.96x135.6	1000	-20~70℃
PDI101WXBH-69C	1280xRGBx800	229.70x149.15x16.79	216.96x135.6	800	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI101WXBH-71C	1280xRGBx800	229.70x149.15x16.79	216.96x135.6	800	-20~70℃
PDI101WXHE-83	1280xRGBx800	229.1x148.9x4.35	216.96x135.6	1000	-20~70℃
PDI101WXHE-83B	1280xRGBx800	229.1x148.9x4.35	216.96x135.6	1000	-30~80℃
PDI108102	240xRGBx210	31.28X30.3x1.45	27.58x24.13	400	-20~70℃
PDI108103B	240xRGBx210	31.28X30.3x1.45	27.58x24.13	800	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI121SVTM-07	800xRGBx600	279x209x9	246x184.5	350	-20~70℃
PDI121WXBH-01	1280xRGBx800	277.7x180.6x8.7	261.12x163.2	400	-20~70℃
PDI121XGCE-M01	1024xRGBx768	260.5x204x8.4	245.76x184.32	1000	-30~80℃
PDI121XGIC-E02	1280xRGBx800	323.4x203.4x8.7	261.12x163.2	1000	-30~80℃
PDI128JUW1-01	1920xRGBx1080	294.4x175x6.5	283.392x159.408	700	-30~80℃
PDI144QQHS-15	128xRGBx128	38.5x39.4x3.0	25.5x26.5	250	-20~70℃
PDI150XGBE-N10	1024xRGBx768	326.5x253.5x9.7	304.128x228.096	350	-20~70℃
PDI150XGCI-L01	1024xRGBx768	326.50x253.5x9.1	304.1x228.1	500	-30~80℃
PDI150XGLH-I03	1024xRGBx768	326.50x253.5x9.1	304.1x228.1	800	-30~80℃
PDI1540HVBS-02	320xRGBx320	31.82x33.87x1.8	27.744x27.744	280	-20~70℃
PDI156FHBH-D174	1920xRGBx1080	350.66x213.24x3.0	344.16×193.59	350	0~50℃
PDI156FHBH-H73T	1920xRGBx1080	360.1x212.55	344.16×193.59	1000	-30~80℃
PDI190FHBE-N11	1280xRGBx1024	396x324x9.9	374.784x299.8272	250	0~50℃
PDI190HDBV-N10	1280xRGBx1024	396x324x9.9	374.784x299.8272	1000	-20~70℃

Phoenix part	Resolution	Outline (mm)	Active area (mm)	Brightness (nits)	Operating temperature
PDI215FHHT-DC1	1920xRGBx1080	495.6× 292.2 × 11.5	476.64× 268.11	350	0~50℃
PDI24QV13A	240xRGBx320	42.72x60.26x2.30	36.72x48.96	320	-20~70℃
PDI28011T-00	240xRGBx320	50.00x69.20x2.25	43.20x57.60	320	-20~70℃
PDI28QV02A	240xRGBx320	50.00x69.20x2.38	43.20x57.60	280	-20~70℃
PDI314C-02A	240xRGBx320	55.04x77.70x2.40	47.87x63.84	250	-20~70℃
PDI320FHCT-01	1920xRGBx1080	715x411x14.4	698.40x392.85	300	-20~70℃
PDI32QV08B	240xRGBx320	55.04x77.7x2.57	48.60x64.80	320	-20~70℃

Interfaces, drivers, viewing and touch

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI010QQBG-05	SPI · GC9107	IPS	No
PDI013QVHG-06B	SPI · GC9A01	IPS	No
PDI013QVHG-06D	SPI · GC9A01	ALL	No
PDI013QVHS-20	SPI · ST7789V3	IPS	No
PDI015QVBS-02	SPI+RGB 6bit · ST7789 V3	IPS	No
PDI016WVBS-H01	MIPI · ST7797	IPS	No
PDI017QVBG-01	4wire SPI · ST7789V	IPS	No
PDI017QVBG-05	4wire SPI · ST7789V	IPS	No
PDI018AOP-SE3	SPI · ILI9163V	6H	No
PDI018QVBS-19C	MCU/QSPI · ST77916	ALL	Yes
PDI019QVBS-02B	MCU/SPI · ST7789V2	IPS	No

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI020QVHS-06B	3 wire SPI · ST7789V	IPS	No
PDI020WVBS-08	SPI+RGB · ST7701S	IPS	No
PDI023QVBI-02	SPI · ILI9342C	6H	No
PDI024QVBS-59	4 SPI · ST7789P3	IPS	No
PDI024QVHI-17	MCU/SPI/SPI+RGB · ILI9341V	IPS	Yes
PDI024QVHS-31	MCU/SPI/SPI+RGB · ST7789V	IPS	Yes
PDI024QVHS-34	SPI · ST7789V	IPS	Yes
PDI024QVSS-21	SPI · ST7789V	12H	Yes
PDI024QVSS-32	MCU · ST7789V	6H	Yes
PDI024QVSS-38	8/16 bit MCU · ST7789V	6H	Yes
PDI025WVBH-01	MIPI · HX8379-C	IPS	No
PDI028QVBS-35	MCU 8/16bits · ST7789V	IPS	Yes
PDI028QVHS-15	MCU · ST7789V	6H	Yes
PDI028QVHS-21	MCU8-bit/3SPI/4SPI · ST7789V3A	IPS	Yes
PDI028QVHS-43	SPI · ST7789V	IPS	Yes
PDI028WVBS-33	SPI+RGB · ST7701S	IPS	No
PDI030GN06-01	RGB · HX8363-A	IPS	No
PDI032QVHS-13	MCU 16 bits/8 bits · ST7789V	6H	Yes
PDI034HDBI-03	MIPI · ILI9881C-05	IPS	No
PDI035HVQI-45	16bit MCU · ILI9488	IPS	Yes
PDI035HVQI-54	MCU/SPI/SPI+RGB · ILI9488	IPS	Yes
PDI035HVQI-54B	MCU/SPI/SPI+RGB · ILI9488	IPS	Yes

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI035HVSI-53	MCU · ILI9488	6H	Yes
PDI035QVBH-115	SPI+RGB24-bit · HX8277B	IPS	Yes
PDI035QVHS-119	3SPI/RGB24-bit · ST7272A	IPS	Yes
PDI035QVIH-28B	RGB · HX8238-D	12H	Yes
PDI035WVBS-66	MIPI · ST7701S	IPS	Yes
PDI035WVHS-110	RGB · FL5892C	IPS	Engineering confirmation required
PDI040WVBN-23	SPI+RGB18-bit · NV3052CGRB	IPS	Yes
PDI040WVBS-13	SPI+RGB · ST7701S	IPS	Yes
PDI040WVBS-25	MIPI · ST7703	IPS	Yes
PDI040WVBS-35	MIPI · ST7701S	IPS	Yes
PDI043WQBS-145	24BIT RGB · ST7283	IPS	Yes
PDI043WQBS-146	24BIT RGB · ST7283	IPS	Yes
PDI043WQHS-105	SPI ·	SPI	Yes
PDI043WQHS-67B	24BIT RGB · ST7282	IPS	Yes
PDI043WQHS-72	24BIT RGB · SC7283	IPS	Yes
PDI043WQHS-97	24BIT RGB · SC7283	IPS	Yes
PDI043WQIS-86	RGB · ST7282	12H	Yes
PDI043WQIS-87	RGB · ST7282	12H	Yes
PDI043WQIS-88	RGB · ST7282	12H	Yes
PDI043WQXH-39	RGB · HX8257-A01	12H	Yes
PDI043WVBI-120	SPI+RGB · ILI9806E	IPS	Yes
PDI043WVBI-130	MIPI · ILI9806E	IPS	Yes

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI043WVBI-83	SPI+RGB · ILI9806E	IPS	Yes
PDI043WVBS-139	RGB · ST7262E43	IPS	Yes
PDI043WVBS-79	RGB · ST7262E43	IPS	Yes
PDI043WVBS-80	RGB · ST7262E43	IPS	Yes
PDI050FHBH-40	MIPI · HX8399C	IPS	No
PDI050FHSH-47	MIPI · HX8399-A	IPS	No
PDI050FWHS-161	MIPI · ST7701SN	IPS	Yes
PDI050WQBS-44	RGB · ST7257	6H	No
PDI050WVBS-106	SPI · LT7680A-	IPS	Yes
PDI050WVBS-51	RGB · ST7262-G4-E	IPS	Yes
PDI050WVBS-51B	24bit RGB · ST7262-G4-E	IPS	Yes
PDI050WVBS-98B	I2C+MIPI · ST7262-G4-E, ICN6211	IPS	Yes
PDI050WVBS-S24-B0	RGB · ST7265	IPS	Yes
PDI050WVHS-36	TTL · ST7262	IPS	Yes
PDI050WVHS-89	SPI · ST7262+LT7680A-	IPS	Yes
PDI050WVHS-92	LVDS · ST7262-G4	IPS	Yes
PDI050WVHS-92B	LVDS · ST7262-G4-1-H2	IPS	Yes
PDI050WVHS-93	RGB · ST7262A	IPS	Yes
PDI055FHIH-10	MIPI · HX8399A	IPS	Yes
PDI057VGCH-H01	TTL · /	IPS	No
PDI057VGGH-02	RGB · HX8250x2+HX8678	6H	Yes
PDI062WSBE-02	RGB · JD9168S	IPS	No

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI070HDBV-L01	/ · /	IPS	No
PDI070HDHF-A00	LVDS · /	IPS	No
PDI070HH115-02	MIPI · ILI9881C	IPS	No
PDI070MIWN-10	TTL · OTD9960+OTA70	12H	Yes
PDI070WSBE-136	MIPI · EK73215+EK7900	IPS	Yes
PDI070WSBE-61	RGB · EHX8282A&HX86 96A	IPS	Yes
PDI070WSIH-222	1000 · /	IPS	No
PDI070WSSN-42	LVDS · NT52002H-D/NT51008VH-D	12H	No
PDI070WVBE-101C	HDMI type A&USB · EK9716BD&EK73 002ACGB	TN	Yes
PDI070WVBE-131C	HDMI type A&USB · EK9716BD&EK73 002ACGB+FT5446	TN	Yes
PDI070WVHN-117	8bit LVDS · /	IPS	Yes
PDI070WVHN-119	18bit RGB · /	IPS	Yes
PDI0784HDPG-01	MIPI · OTA7290B	IPS	No
PDI080FHBF-N81	LVDS · FL5893DA*2	IPS	No
PDI080FHBO-Z01A	MIPI · OTA7290B	IPS	Engineering confirmation required
PDI080HDBJ-16	MIPI · JD9366AB	IPS	No
PDI080HDBV-22	LVDS · /	IPS	No
PDI080IA-15A	LVDS · /	IPS	No
PDI080SVBH-15B	RGB · HX8264D02+HX869 6A01	12H	No
PDI084WSTH-B01	LVDS · NT51625TTH +NT52602TTH	IPS	No
PDI088HDBV-01	LVDS · /	IPS	No
PDI088HDHH-03	LVDS · HX82102A	IPS	No

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI090WVIE-04	RGB · EK9713CA+EK730 02A	12H	No
PDI090WXHS-06	LVDS · /	IPS	No
PDI092FHHH-01	LVDS ·	IPS	No
PDI09607A	4 wire SPI · ST7735S	IPS	No
PDI101HDBI-62	MIPI · ILI9881C	IPS	Yes
PDI101WSIE-88	LVDS · HX8282A&HC869	IPS	Yes
PDI101WXBH-26	LVDS · /	IPS	Engineering confirmation required
PDI101WXBH-69C	HDMI type · HX8861+GT928	IPS	Yes
PDI101WXBH-71C	HDMI type · HX8861+GT928	IPS	Yes
PDI101WXHE-83	LVDS · EK79202B	IPS	Yes
PDI101WXHE-83B	LVDS/MIPI · EK79202B	IPS	Yes
PDI108102	4-SPI · ST7789V	IPS	No
PDI108103B	4-SPI · ST7789V	IPS	No
PDI121SVTM-07	LVDS · /	12H	No
PDI121WXBH-01	LVDS · HX8255-A	IPS	No
PDI121XGCE-M01	LVDS · /	IPS	No
PDI121XGIC-E02	LVDS · /	IPS	No
PDI128JUW1-01	LVDS · /	IPS	Yes
PDI144QQHS-15	MCU · ST7735S	12H	No
PDI150XGBE-N10	LVDS · /	IPS	No
PDI150XGCI-L01	LVDS · /	IPS	Yes
PDI150XGLH-I03	LVDS · /	IPS	No

Phoenix part	Interface / driver	Viewing / mode	Touch option
PDI1540HVBS-02	MIPI · ST7796S	IPS	No
PDI156FHBH-D174	eDP · /	IPS	No
PDI156FHBH-H73T	LVDS · /	IPS	No
PDI190FHBE-N11	LVDS · /	IPS	No
PDI190HDBV-N10	LVDS · /	IPS	No
PDI215FHHT-DC1	LVDS · /	IPS	No
PDI24QV13A	MCU · ILI9341	12H	Yes
PDI28011T-00	MCU · ILI9341V	6H	Yes
PDI28QV02A	MCU · ILI9341V	6H	Yes
PDI314C-02A	MCU · ILI9341	12H	Yes
PDI320FHCT-01	LVDS · /	IPS	No
PDI32QV08B	MCU · ILI9341V	12H	Yes